Author Index

Abadji, V.C., Raines, D.E., Watts, A. and Miller, K.W.
The effect of general anesthetics on the dynamics of phosphatidylcholine-acetylcholine receptor interactions in reconstituted vesicles (1147) 143
Alford, D.R., see Larsen, C.E. (1147) 223
Ando, S., Nishikawa, H., Takiguchi, H., Lee, S. and Sugihara, G.
Antimicrobial specificity and hemolytic activity of cyclized basic amphiphilic β-structural model peptides and their interactions with phospholipid bilayers (1147) 42
Andree, H.A.M., see Heemskerk, J.W.M. (1147) 194

Balasubramanian, K.A., see Nalini, S. (1147) 169
Balasubramanian, S.V., see Sarkar, S.N. (1147) 137
Bartolomé, B., see Ostolaza, H. (1147) 81
Benedetti, A., see Ferretti, G. (1147) 245
Bennekou, P.
The voltage-gated non-selective cation channel from human red cells is sensitive to acetylcholine (1147) 165
Benz, R., see Klotz, K.-H. (1147) 161
Brophy, P.J., see Horváth, L.I. (1147) 277

Cervato, G., see Viani, P. (1147) 73
Cestaro, B., see Viani, P. (1147) 73
Chernoff, D.M., Strichartz, G.R. and Piwnica-Worms, D.
Membrane potential determination in large unilamellar vesicles with hexakis(2-methoxyisobutylisonitrile)technetium(I) (1147) 262
Curatola, G., see Ferretti, G. (1147) 245

Da Silva, H., see Gregoriadis, G. (1147) 185
De la Cruz, F., see Ostolaza, H. (1147) 81
Doherty, A.J. and Jarvis, S.M.
Na^+-dependent and -independent uridine uptake in an established renal epithelial cell line, OK, from the opossum kidney (1147) 214
Düzgüneş, N., see Larsen, C.E. (1147) 223

East, J.M., see Mata, A.M. (1147) 6

Feijge, M.A.H., see Heemskerk, J.W.M. (1147) 194
Ferretti, G., Zolese, G., Curatola, G., Jezequel, A.M. and Benedetti, A.
Membrane heterogeneity in isolated rat hepatocytes and liver plasma membrane subfractions: a comparative study using DPH and its cationic derivative TMA-DPH (1147) 245
Flügge, U.-I., see Menzlaff, E. (1147) 13
Francis, S.E., see Jones, M.N. (1147) 251

Garcon, N., see Gregoriadis, G. (1147) 185
Gatti, P., see Viani, P. (1147) 73
Giesen, P.L.A., Willems, G.M., Hemker, H.C., Stuart, M.C.A. and Hermens, W.T.
Monitoring of unbound protein in vesicle suspensions with off-null ellipsometry (1147) 125
Goñi, F.M., see Ostolaza, H. (1147) 81
Gore, M.G., see Mata, A.M. (1147) 6
Gregoriadis, G., Garcon, N., Da Silva, H. and Sternberg, B.
Coupling of ligands to liposomes independently of solute entrapment: observations on the formed vesicles (1147) 185

Handley, P.S., see Jones, M.N. (1147) 251
Hara, Y., see Ikigai, H. (1147) 132
Hardwicke, P.M.D., see Kalabokis, V.N. (1147) 35
Hato, M., see Shimizu, T. (1147) 50
Hauser, H., see Lin, B.Z. (1147) 237
Heemskerk, J.W.M., Feijge, M.A.H., Andree, H.A.M. and Sage, S.O.
Function of intracellular $[Ca^{2+}]_i$ in exocytosis and transbilayer movement in human platelets surface-labeled with the fluorescent probe 1-(4-(trimethylammonio)phenyl)-6-phenyl-1,3,5-hexatriene (1147) 194
Hemker, H.C., see Giesen, P.L.A. (1147) 125
Hermens, W.T., see Giesen, P.L.A. (1147) 125
Hershey, P.E.C., Pessah, I.N. and Mohr, F.C.
Regulation of inositol 1,4,5-trisphosphate receptors in rat basophilic leukemia cells. II. Modulation of the receptor in permeabilized cells by the cytosolic compartment (1147) 115
Hershey, P.E.C., see Mohr, F.C. (1147) 105
Horváth, L.I., Brophy, P.J. and Marsh, D.
Spin label saturation transfer EPR determinations of the stoichiometry and selectivity of lipid–protein interactions in the gel phase (1147) 277
Hutchinson, F.J., see Jones, M.N. (1147) 251

Ibrahim, S.A., see Nalini, S. (1147) 169
Ikigai, H., Nakae, T., Hara, Y. and Shimamura, T.
Bactericidal catechins damage the lipid bilayer (1147) 132

Jarvis, S.M., see Doherty, A.J. (1147) 214
Jennings, M., see Larsen, C.E. (1147) 223
Jezequel, A.M., see Ferretti, G. (1147) 245
Jiang, L.W., Mitchell, B.A., Teodoro, J.G. and Rip, J.W.
Uptake and transport of fluorescent derivatives of dolichol in human fibroblasts (1147) 205
Jones, M.N., Francis, S.E., Hutchinson, F.J., Handley, P.S. and Lyle, I.G.
Targeting and delivery of bactericide to adsorbed oral bacteria by use of proteoliposomes (1147) 251

Kalabokis, V.N. and Hardwicke, P.M.D.
Effect of the biochemical state of the Ca-ATPase protein of scallop sarcoplasmic reticulum on its interaction with *trans*-parinaric acid (1147) 35
Khan, Y.M., see Mata, A.M. (1147) 6
Kimoto, E., see Yamaguchi, T. (1147) 1
Klotz, K.-H., Winterhalter, M. and Benz, R.
Use of irreversible electrical breakdown of lipid bilayers for the study of interaction of membranes with surface active molecules (1147) 161
Kume, S., see Ozaki, Y. (1147) 27

Larsen, C.E., Nir, S., Alford, D.R., Jennings, M., Lee, K.-D. and Düzgüneş, N.
Human immunodeficiency virus type 1 (HIV-1) fusion with model membranes: kinetic analysis and the role of lipid composition, pH and divalent cations (1147) 223
Lee, A.G., see Mata, A.M. (1147) 6
Lee, K.-D., see Larsen, C.E. (1147) 223
Lee, S., see Ando, S. (1147) 42
Liguri, G., see Nassi, P. (1147) 19
Lin, B.Z., Yin, C.C. and Hauser, H.
The effect of positive and negative pH-gradients on the stability of small unilamellar vesicles of negatively charged phospholipids (1147) 237
Lyle, I.G., see Jones, M.N. (1147) 251

Marchetti, E., see Nassi, P. (1147) 19
Marsh, D., see Horváth, L.I. (1147) 277
Mata, A.M., Stefanova, H.I., Gore, M.G., Khan, Y.M., East, J.M. and Lee, A.G.
Localization of Cys-344 on the (Ca^{2+}-Mg^{2+})-ATPase of sarcoplasmic reticulum using resonance energy transfer (1147) 6
Mealy, T., see Meers, P. (1147) 177
Meers, P., Mealy, T. and Tauber, A.I.
Annexin I interactions with human neutrophil specific granules: fusogenicity and coaggregation with plasma membrane vesicles (1147) 177
Menzlaff, E. and Flügge, U.-I.
Purification and functional reconstitution of the 2-oxoglutarate/malate translocator from spinach chloroplasts (1147) 13
Miller, K.W., see Abadji, V.C. (1147) 143
Mirau, P.A., see Qiu, X. (1147) 59
Mitchell, B.A., see Jiang, L.W. (1147) 205
Mohr, F.C., Hershey, P.E.C., Zimányi, I. and Pessah, I.N.
Regulation of inositol 1,4,5-trisphosphate receptors in rat basophilic leukemia cells. I. Multiple conformational states of the receptor in a microsomal preparation (1147) 105
Mohr, F.C., see Hershey, P.E.C. (1147) 115
Mouritsen, O.G., see Zhang, Z. (1147) 154
Munck, B.G., see Polache, A. (1147) 267
Munck, L.K., see Polache, A. (1147) 267

Nakae, T., see Ikigai, H. (1147) 132
Nalini, S., Ibrahim, S.A. and Balasubramanian, K.A.
Effect of oxidant exposure on monkey intestinal brush-border membrane (1147) 169
Nassi, P., Marchetti, E., Nediani, C., Liguri, G. and Ramponi, G.
Acylphosphatase induced modifications in the functional properties of erythrocyte membrane sodium pump (1147) 19
Nediani, C., see Nassi, P. (1147) 19
Needham, D., see Zhelev, D.V. (1147) 89
Nir, S., see Larsen, C.E. (1147) 223
Nishikawa, H., see Ando, S. (1147) 42

Ortiz de Zárate, I., see Ostolaza, H. (1147) 81
Ostolaza, H., Bartolomé, B., Ortiz de Zárate, I., De la Cruz, F. and Goñi, F.M.
Release of lipid vesicle contents by the bacterial protein toxin α-haemolysin (1147) 81
Ozaki, Y., Satoh, K., Yatomi, Y. and Kume, S.
Low concentrations of sodium fluoride inhibit Ca^{2+} influx induced by receptor-mediated platelet activation (1147) 27

Parrott, D.T. and Turner, J.E.
Mesophase formation by ceramides and cholesterol: a model for stratum corneum lipid packing? (1147) 273
Pessah, I.N., see Hershey, P.E.C. (1147) 115
Pessah, I.N., see Mohr, F.C. (1147) 105
Pidgeon, C., see Qiu, X. (1147) 59
Piwnica-Worms, D., see Chernoff, D.M. (1147) 262
Polache, A., Munck, L.K. and Munck, B.G.
Baclofen (β-*p*-chlorophenyl-γ-aminobutyric acid) transport across rat jejunum (1147) 267

Qiu, X., Mirau, P.A. and Pidgeon, C.
Magnetically induced orientation of phosphatidylcholine membranes (1147) 59

Raines, D.E., see Abadji, V.C. (1147) 143
Ramponi, G., see Nassi, P. (1147) 19
Rip, J.W., see Jiang, L.W. (1147) 205

Saeki, T., see Yamaguchi, T. (1147) 1
Sage, S.O., see Heemskerk, J.W.M. (1147) 194
Sarkar, S.N., Balasubramanian, S.V. and Sikdar, S.K.
Effect of fenvalerate, a pyrethroid insecticide on membrane fluidity (1147) 137
Satoh, K., see Ozaki, Y. (1147) 27
Shimamura, T., see Ikigai, H. (1147) 132
Shimizu, T. and Hato, M.
Self-assembling properties of synthetic peptidic lipids (1147) 50
Sikdar, S.K., see Sarkar, S.N. (1147) 137
Sperotto, M.M., see Zhang, Z. (1147) 154
Stefanova, H.I., see Mata, A.M. (1147) 6
Sternberg, B., see Gregoriadis, G. (1147) 185
Strichartz, G.R., see Chernoff, D.M. (1147) 262
Stuart, M.C.A., see Giesen, P.L.A. (1147) 125
Sugihara, G., see Ando, S. (1147) 42

Takiguchi, H., see Ando, S. (1147) 42
Tauber, A.I., see Meers, P. (1147) 177
Teodoro, J.G., see Jiang, L.W. (1147) 205
Turner, J.E., see Parrott, D.T. (1147) 273

Viani, P., Cervato, G., Gatti, P. and Cestaro, B.
Plasma dependent pH sensitivity of liposomes containing sulfatide (1147) 73

Watts, A., see Abadji, V.C. (1147) 143
Willems, G.M., see Giesen, P.L.A. (1147) 125
Winterhalter, M., see Klotz, K.-H. (1147) 161

Yamaguchi, T., Saeki, T. and Kimoto, E.
Release of protein 4.1-rich vesicles from diamide-treated erythrocytes under hydrostatic pressure (1147) 1
Yatomi, Y., see Ozaki, Y. (1147) 27
Yin, C.C., see Lin, B.Z. (1147) 237

Zhang, Z., Sperotto, M.M., Zuckermann, M.J. and Mouritsen, O.G.
A microscopic model for lipid/protein bilayers with critical mixing (1147) 154
Zhelev, D.V. and Needham, D.
Tension-stabilized pores in giant vesicles: determination of pore size and pore line tension (1147) 89
Zimányi, I., see Mohr, F.C. (1147) 105
Zolese, G., see Ferretti, G. (1147) 245
Zuckermann, M.J., see Zhang, Z. (1147) 154